

### Deliver a Complete Video Solution for Medium and Large Rooms

In partnership with Zoom, the Yealink video solution ZVC640 Zoom Rooms Kits come fully integrated with Zoom Rooms and include pre-installed Zoom Rooms software. Certified by Zoom, Yealink offers the Zoom Rooms kits to fit the meeting scenario needs in medium and large rooms. The solution delivers premium audio and video quality thanks to the combination of the Yealink CP960 Conference Phone and Yealink UVC84 optical PTZ camera, which work in tandem to provide users a native Zoom Rooms experience.

#### Key Features and Benefits

##### Total Device Package Offer

Yealink delivers a complete Zoom Rooms package containing a full hardware suite (MCore, camera, audio devices) as well as the requisite software and license, simplifying the purchasing process and deployment while making the after-sales service experience more convenient than ever.



##### Simple to Deploy, Easy to Use

Yealink one-cable technology eliminates the need for a traditional USB cable from the television area to the conference table area, greatly simplifying deployment. The Yealink CP960 Conference Phone further declutters the conference area by uniting microphones, speaker and meeting console into a single package. When serving as a meeting console, the five-inch multi-touch screen display allows users to join the meeting, add participants, adjust volume and control the PTZ (Pan, Tilt, Zoom) of the camera, making meeting management a snap.

##### Premium Audio and Video Meeting Experience

Featuring a built-in three-microphone array, the Yealink CP960 Conference Phone ensures a 360-degree voice pickup range with up to a 20-foot (six-meter) radius. Thanks to Yealink Noise Proof Technology, background noise is minimized so that everyone in the room can be heard clearly. By adding the two CPW90 wireless expansion microphones, the CP960 can provide up to a 40-foot (12-meter) voice pickup radius without any additional wiring. Yealink UVC84 optical PTZ camera supports 4K video which can deliver sharp, smooth and stable video with a deep focus field. The wide-angle horizontal field-of-view lens and adjustable camera angle provide a broad view of the conference room. The auto-framing and camera presets provide users with a smarter and simpler camera control experience.

##### Manage Your Devices Remotely

Yealink Device Management Platform or cloud service can manage the Yealink ZVC640 Zoom Rooms Kits, allowing administrators to remotely control devices with ease. The platform supports remote configuration, firmware upgrading, monitoring and diagnosis. Through Windows Update, users can get the latest version of the UVC camera driver and Yealink Plug-in for Zoom Rooms, further enhancing the user's Zoom Rooms experience.

### Package Content

- MCore Mini-PC
- UVC84 USB PTZ camera
- CP960 conference phone

### MCore Mini-PC Package

- 8th-gen Intel® QUAD-CORE i5
- Memory: 8GB (2 x 4GB)
- Storage: 128GB SSD
- 2 x HDMI video output with CEC supported
- Bluetooth and Wi-Fi
- 4 x USB3.0 Type-A
- 1 x VCH port for connecting to MTouch II
- 1 x 10/100/1000M Ethernet port
- 1 x Power port
- 1 x Security lock slot

### CP960 Conference Phone

- 5" 720x1280 capacitive touch screen
- 1 x RJ45 10/100M Ethernet port
- Power over Ethernet (IEEE 802.3af ), class 4
- 2 x Wired MIC port
- 2 x USB 2.0 port
- 1 x 3.5mm audio-out port

- 1 x USB 2.0 Micro-B device port
- 1 x Security slot

### CPW90 Wireless Microphones (optional)

- DECT technology, up to 50 meters distance
- 10ft (3-meter) voice pickup range of every microphone unit
- Built-in Li-battery, 11 days standby, 19 hours talking time
- Charging cradle, charging any time

### Yealink UVC84 USB PTZ Camera

- 4K camera
- 12x optical zoom
- Field of view (diagonal): 80°
- Auto Framing
- Camera presets
- Pan range: 200°
- Tilt range: 130°
- 1 x Line-out (3.5mm)
- 1 x Yealink Microphone port (RJ-45)
- 1 x USB 2.0 Type-B

- 1 x Power port
- 1 x Security lock slot
- 1 x Reset slot


### Package Physical Features

- Operating humidity: 10~95%
- Operating temperature: 0~40°C
- Storage temperature: -30~70°C
- N.W/CTN: 7.5Kg
- G.W/CTN: 8.5Kg
- Carton Meas: 420mm x 401mm x 421mm

## Overview of Yealink Solution for Zoom Rooms

The CP960 can be used as Zoom Rooms console, speaker and microphone and can communicate with the MCore connected to the same LAN.

Yealink Plug-in for Zoom Rooms and Zoom Rooms App should be installed on the MCore.



💡 The IP phone should be powered by PoE adapter (54V/0.56A) or PoE switch. All devices are powered separately. The cable should be replaced at once if its skin is broken.

## About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

## Copyright

Copyright © 2021 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

## Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.  
Web: [www.yealink.com](http://www.yealink.com)  
Addr: No.1 Ling-Xia North Road, High Tech Park,  
Huli District, Xiamen, Fujian, P.R. China  
Copyright©2021 Yealink Inc.All right reserved.